

OFGS File: P/3312-29

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Dieter Egelhof et al.

Date: June 29, 2000

Serial No.: Not yet known

Filed: Herewith

For: **WIRE PART AND PROCESS FOR FORMING A MULTI-PLY FIBER WEB**

Asst. Commissioner of Patents and Trademarks
Washington, DC 20231

REQUEST FOR CONTINUING APPLICATION UNDER 37 C.F.R. 1.53(b)

Sir:

This is a request for the filing of a Divisional application under the provisions of 37 C.F.R. 1.53(b) of pending application Serial No. 08/987,981, filed December 10, 1997 by Dieter Egelhof, Alfred Bubik, Peter Mirsberger, Otto L. Heissenberger, Frank Herzog, Wolf Dieter Baumann, Josef Bachler, Günter Halmschlager, Frank Stelzhammer and Günther Mohrhardt. The prior application is hereby incorporated by reference.

Enclosed is a copy of the prior application, including the oath or declaration and drawings as originally filed.

I hereby state that the attached papers are a copy of prior application Serial No. 08/987,981, filed December 10, 1997, without any new matter therein.

Cancel in this application original claims 1-25 of the prior application and enter the Preliminary Amendment adding claims 29 and 30 before calculating the filing fee.



08/987,981

The filing fee is calculated as follows:

BASIC Filing Fee:\$ 690.00
Number of Claims in Excess of 20: ____ x \$18
Number of Independent Claims over 3: ____ x \$78
One or more multiple dependent claims: \$260.....\$
TOTAL FILING FEE:\$ 690.00

Check No. 095026 which includes the amount of \$690.00 in payment of the filing fee is enclosed herewith.

The Patent and Trademark Office is hereby authorized to charge any additional fees or credit any refund, at any time during the prosecution of this application, to Deposit Account No. 15-0700.

Amend the specification by inserting at page 1, line 1, the paragraph:

--This is a division of application Serial No. 08/987,981, filed December 10, 1997.--

This application includes two (2) sheets of drawings containing Figures 1 through 3.

Enclosed are copies of the PTO-1449 forms citing references filed in parent application 08/987,981, filed December 10, 1997.

Priority under 35 U.S.C. §119 based on German Application No. 196 51 493.2 filed December 11, 1996, is claimed. The certified copy of the priority application has been filed in said prior application Serial No. 08/987,981, filed December 10, 1997.

The prior application was assigned to Voith Sulzer Papiermaschinen GmbH and is recorded at Reel 9088, Frame 0496.

The power of attorney in the prior application, as originally filed, is to customer no. 2352, OSTROLENK, FABER, GERB & SOFFEN, LLP, 1180 Avenue of the Americas, New York, New York 10036-8403, and the members of the firm: Reg. No. 17,542; Samuel H. Weiner, Reg. No. 18,510; Jerome M. Berliner, Reg. No. 18,653; Robert C. Faber, Reg. No. 24,322; Edward A. Meilman, Reg. No. 24,735; Stanley H. Lieberstein, Reg. No. 22,400; Steven I. Weisburd, Reg. No. 27,409; Max Moskowitz, Reg. No. 30,576; Stephen A. Soffen, Reg. No. 31,063; James A. Finder, Reg. No. 30,173; William O. Gray, III, Reg. No. 30,944; Louis C. Dujmich, Reg. No. 30,625, and Douglas A. Miro, Reg. No. 31,643, as attorneys with full power of substitution and revocation to prosecute this application, to transact all business in the Patent and Trademark Office in connection therewith and to receive all correspondence. The Power appears in the original papers in the prior application.

SEND CORRESPONDENCE TO:

Robert C. Faber, Esq.
OSTROLENK, FABER, GERB & SOFFEN, LLP
1180 Avenue of the Americas
New York, New York 10036-8403
Customer No. 2352

DIRECT TELEPHONE CALLS TO:

(212) 596-0515

(212) 382-0700


EXPRESS MAIL CERTIFICATE

Respectfully submitted,

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee (mail label #EL010258559US) in an envelope addressed to: Asst. Commissioner of Patents and Trademarks, Washington, D.C. 20231, on June 29, 2000:

Dorothy Jenkins

Name of Person Mailing Correspondence



Signature
June 29, 2000

Date of Signature

Robert C. Faber

Registration No.: 24,322

OSTROLENK, FABER, GERB & SOFFEN, LLP

1180 Avenue of the Americas

New York, New York 10036-8403

Telephone: (212) 382-0700

RCF:ahc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Patent Application of

Dieter EGELHOF et al.

Date: June 29, 2000

Serial No.: Not yet known

Group Art Unit: 1731

Filed: Concurrently herewith

Examiner: C. Fiorilla

For: WIRE PART AND PROCESS FOR FORMING A MULTI-PLY
FIBER WEB

Asst. Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Preliminary to examination of the application, please
amend the application as follows:

IN THE CLAIMS:

Please cancel claims 1-25 and 30.

Please amend the claims as follows:

26. (Amended) A process for forming a multi-ply fiber
web comprising:

moving a belt in a first direction toward a combining
section and at a first orientation in the combining section, and
forming a first fiber ply on the moving first belt;

forming a second fiber ply on a first wire section
wire; advancing the first fiber section wire with the second ply
thereon in a second direction toward the combining section;

10

combining the first fiber ply on the first belt on and
with the second fiber ply on the first wire belt in the combining
section;

15

the second fiber ply being formed in a region which,
along the first direction of the first belt, lies upstream of the
combining section, and running the second fiber ply of the first
wire in the second direction into the combining section at an
angle [of less than 90°] with respect to the first orientation of
the first belt entering the combining section.

Please add claim 29 as follows:

--29. The process of claim 28, wherein the second fiber
ply is run into the combining section at an angle of less than
90° with respect to the first orientation of the first belt. --

REMARKS

This Preliminary Amendment cancels original claims 1-25
and 30. Claims 26-29 are the non-elected original application
claims which read on species II.

EXPRESS MAIL CERTIFICATE

I hereby certify that this correspondence
is being deposited with the United States
Postal Service as Express Mail Post Of-
fice to Addressee (mail label
#EL010258559US) in an envelope addressed
to: Asst. Commissioner of Patents and
Trademarks, Washington, D.C. 20231, on
June 29, 2000:

Dorothy Jenkins

Name of Person Mailing Correspondence

Dorothy Jenkins
Signature

June 29, 2000

Date of Signature

Respectfully submitted,

Robert C. Faber

Robert C. Faber

Registration No.: 24,322

OSTROLENK, FABER, GERB & SOFFEN, LLP

1180 Avenue of the Americas

New York, New York 10036-8403

Telephone: (212) 382-0700

- 1 -

WIRE PART AND PROCESS FOR FORMINGA MULTI-PLY FIBER WEBBACKGROUND OF THE INVENTION

5 The present invention relates to a wire section
of a fiber web forming machine, particularly a paper
making machine for forming a multi-ply fiber web,
particularly a paper web. The wire section includes a
wire section belt of a paper machine on which a first
fiber ply is formed. It includes a twin-wire part of the
10 wire section designed as a gap former and having a first
and a second wire in which part a second fiber ply is
formed. The two wires wrap around a forming roll at the
beginning of the twin wire part. It further includes a
combining section, in which the first and the second
15 fiber plies are combined, for forming the multi-ply fiber
web.

The invention further relates to a process for
forming a multi-ply fiber web, including the steps of
forming a first fiber ply, forming a second fiber ply,
20 and then combining the first fiber ply, which is running
in on a belt, and the second fiber ply, which is running
in on a first wire, in a combining section.

Such a wire section and a process of this type
for forming a multi-ply fiber web are disclosed in

DE 44 02 274 A1, equivalent to U.S. Patent 5,584,967.

This known wire section comprises a conventional
Fourdrinier unit for forming a first fiber ply on a belt
in the form of a horizontal wire. A second fiber ply is
5 formed by a twin-wire part arranged above the first belt.
The first and second plies are couched together, forming
a multi-ply fiber web, particularly a paper or board web.
According to Fig. 5 of DE '274, the twin-wire part is
designed as a gap former.

10 The twin-wire part for forming the second fiber
ply has a headbox or flowbox, has an evacuated forming
roll downstream of the headbox, has a so-called D part
which typically dewateres the web through a wire by
suction and also applies pressure pulses on the wire and
15 has a second forming roll. The two wires of the twin-
wire part are led approximately horizontally and counter
to the running direction of the belt, between the first
forming roll and the second forming roll.

In the outlet region of the second forming
20 roll, the top wire is lifted off the second fiber ply,
and the second fiber ply is led to the couch roll on the
bottom wire, at an angle of about 80° to the first wire.

Another wire section for forming a multi-ply
fiber web is disclosed in WO 92/01111. In this wire
25 section too, a first fiber ply is brought up on a belt
which is a wire belt that runs approximately
horizontally. A twin-wire part for forming a second

fiber ply is arranged above the belt. The twin-wire part for forming the second fiber ply has a headbox and a forming board arranged downstream of the headbox. The board has a multiplicity of forming foils, which form a
5 convexly slightly curved running surface for the first and the second wires and which engage the wire to produce pressure pulses. A wiper is provided on the top side at the outlet of the forming board. The top wire is lifted off the second fiber web upstream of the entry region of
10 a couch roll. The bottom wire wraps around the couch roll by about 120°. A guide roll is provided on the underside of the belt so that the belt and the first wire wrap around the couch roll by about 45°. In the wire section in WO 92/01111, dewatering of the second fiber
15 ply takes place solely on account of the tensile stress of the wires acting on the forming board, by centrifugal forces and by the force of gravity.

It is not possible to achieve high running speeds using these known wire sections. In addition, the
20 twin-wire part arranged above the Fourdrinier unit needs considerable space. It is particularly unfavorable that the twin-wire part is located above that part of the Fourdrinier unit in which the finally formed (but still moist) multi-ply fiber web runs, on the belt, in the
25 direction toward the following treatment stations (e.g. wire suction roll, press section, etc.). The quality of the web is thereby impaired.

SUMMARY OF THE INVENTION

It is the object of the present invention to provide a wire section of a paper machine and a process for forming a multi-ply fiber web that is as compact as possible and a process for forming a multi-ply fiber web that is of as high a quality as possible at high speeds.

The invention concerns a wire section for forming a multi-ply fiber web.

The wire section includes a belt which advances a first fiber ply toward a couch roll defining a combining section. A twin wire part of the wire section includes first and second wires between which a second fiber ply is initially formed. The second wire separates from the first wire and then the first wire which is supporting the second fiber ply meets the belt supporting the first fiber ply at the couch roll of the combining section to form the multi-ply fiber web. The twin wire part is arranged upstream of the combining section along the running direction of the belt. The second fiber ply runs on the first wire into the combining section at an angle less than 90° with respect to the belt entering the combining section. A suction box or arrangement holds the second fiber ply to the first wire when the first and second wires separate.

The wire section mentioned at the beginning achieves this object by the inflow direction of the fiber suspension into the gap former substantially

corresponding to the running direction of the belt and furthermore, by the twin-wire part being upstream of the combining section in the running direction of the belt and by the second fiber ply on the first wire of the twin
5 wire part running into the combining section at an angle of less than 90° with respect to the belt.

The process mentioned at the beginning for forming a multi-ply fiber web achieves this object because the second fiber ply is formed at least
10 predominantly in the running direction of the belt and in a region which lies upstream of the combining section in the running direction of the belt, and because the second fiber layer on the first wire runs into the combining section at an angle of less than 90° with respect to the
15 belt.

By the measures described above, the belt as well as the first and the second wires in the web forming section run substantially in the same running direction. It is therefore not necessary for the running direction
20 of the second fiber ply to be deflected so sharply as in prior art before being combined with the first fiber ply. This eliminates the risk of the web lifting off the wire on which the web is carried at a location in the region of the couch roll, particularly if a relatively large
25 diameter couch roll is provided. The runability of the overall wire section is increased. Thus, the limitation of the speed that is necessary with known wire sections

is avoided. The multi-ply fiber web can therefore be formed at much higher speeds than was possible previously.

5 In addition, the smaller deflection at a higher speed allows higher moisture content directly upstream of the combining section, which produces an improved ply bond strength.

10 Furthermore, as a result of the invention the second fiber ply is formed above the initial part of the Fourdrinier unit, that is, above, where the first fiber ply is located on the belt. This avoids the second ply being formed above the combined, multi-ply fiber web. The combined multi-ply fiber web is therefore not
15 interfered with by the twin-wire part which forms the second fiber ply. Such interference, for example, may be by condensate droplets falling on the combined web. This improves the quality of the finished multi-ply web.

20 Finally, arranging the twin-wire part upstream of the combining section in the running direction of the belt provides more space for the arrangement of dewatering and suction elements in the initial part of the Fourdrinier unit, since the combining point can be located closer to a wire suction roll of the Fourdrinier unit, for example. This produces a particularly compact
25 construction of the wire section according to the invention.

The belt for the first ply can be designed as a wire or as a felt.

Moreover, it has been shown that an entry angle range of less than 90° is particularly beneficial for achieving particularly high speeds and a compact construction. An entry angle range of between 60° and 80° is particularly preferred particularly in cooperation with the above-mentioned relative large diameter couch roll.

According to a further preferred embodiment, the twin-wire part may be a separate unit which is placed as a unit onto the Fourdrinier unit. This enables the twin-wire part of the wire section according to the invention to be used for retrofitting of existing wire sections.

The design of the twin-wire former as a gap former produces a very good transverse profile of the second fiber ply and also enables very quiet running, which may be summarized under the heading "very good stability". Further advantages of using a forming roll as the first forming element after the headbox reside in a particularly insensitive jet injection and in secure guidance not only of the inner wire but also of the outer wire, without the risk of "wire piping", which can cause longitudinal stripes in the finished paper. This risk exists when the first forming element is an only slightly curved forming board. There is a further advantage that,

in spite of a relatively high consistency (about 1-1.5%), a finished paper web is produced which has very good "formation", i.e., with uniform fiber distribution.

5 The forming roll may be evacuated or not evacuated. In both cases, this achieves particularly high initial dewatering in the region of the forming roll. As a result, the second fiber ply can be led along a short path to the combining section. This also produces a particularly compact construction.

10 An embodiment is advantageous in which the second fiber ply, which is initially dewatered on the forming roll, can be led to couch roll on a direct path, without deflection around a further roll. This permits particularly high operating speeds to be achieved. It is
15 particularly beneficial to arrange the forming roll underneath the "gap", i.e., the entry pocket of the wires into the twin-wire zone. In this case, the forming roll may preferably not be evacuated but is nevertheless
20 provided with an open surface, for the temporary storage of water. As a result, the second fiber ply is dewatered with less damage on the forming roll side so that fines are kept in this side of the paper ply. Since it is only this side of the second fiber ply that contacts the first fiber ply, the bonding of the fiber plies is improved.

25 In this case, providing a dewatering arrangement between the forming roll and the couch roll is particularly preferred. That arrangement has a box,

preferably a suction box that is assigned to the first wire, designated as a top wire. The suction box includes stationary forming foils which are located in the loop of and engage the first wire and which generate pressure pulses in the suspension. Forming foils may also contact the second wire designated as a bottom wire. The foils of the first wire form a convexly curved running surface which deflects the second wire through an angle in the range of 0° to 20° . The foils above and below are arranged to alternate in the wire running direction. The forming foils can be designed to be movable or to be rigid.

This type of dewatering arrangement is also known as a D part. Connecting such a D part downstream of a forming roll that produces the initial dewatering causes ideal web formation. The formation of flocs is largely prevented. The result is shear forces acting uniformly over the web thickness. In this case, it is of particular advantage if the stationary forming foils form a concavely curved running surface by means of which the top wire is deflected through an angle in the range from 0° to 20° .

This means retains both wires securely in contact with the second fiber ply being formed which produces more uniform dewatering in the region of the dewatering arrangement, i.e., the D part. Deflection at an angle in the range from 0° to 20° is, on the other

hand, still acceptable in this case from the point of view of maximum speed.

According to a further preferred embodiment, the first wire is designed as a top wire and wraps around the forming roll, while the first and the second wires together wrap around a deflection roll between the forming roll and the combining section. This variant is particularly advantageous when an especially thick and therefore initially high water content second fiber ply and/or an especially difficult to dewater second fiber ply is intended to be formed. The achievable speeds are not quite as high as in the previous embodiment which is without a deflection roll between the forming roll and the combining section. Alternatively, the deflection roll can be designed as an evacuated or a non-evacuated forming roll.

In an embodiment wherein the second wire has a series of forming foils applied against it, the foils are arranged opposite a region of the forming roll which is wrapped around by the top wire and the bottom wire. This improves formation on that side of the second fiber ply, which is joined to the first fiber ply in the combining section. The forming foils can be designed both as rigid foils and also as movable forming foils.

A suction separator is assigned to the first wire upstream of the couch roll. The suction separator enables the bottom wire to be separated from the second

fiber ply at high running speed, before the second fiber ply is carried on the top wire to the combining section.

Of course, the present invention can be used for producing two-ply fiber webs and also three-ply or multi-ply fiber webs.

Further, the features described above and features explained below can be used not only in the combinations specified but also in other combinations or on their own, within the scope of the invention.

Other features and advantages of the present invention will become apparent from the following description of the invention which refers to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 schematically shows a wire section for producing a multi-ply fiber web, including a twin-wire part placed on a Fourdrinier unit;

Fig. 2 shows a schematic side view of a first embodiment of a twin-wire part according to the invention; and

Fig. 3 shows a schematic side view of a second embodiment of a twin-wire part according to the invention.

DETAILED DESCRIPTION OF THE INVENTION

Fig. 1 shows a first embodiment of a wire section 9 according to the invention, which is used for forming multi-ply fiber webs, in particular paper or board webs. The wire section 9 is therefore

5 predominantly intended for papermaking machines.

The wire section comprises a Fourdrinier unit 6, having an approximately horizontally guided belt (preferably a web or a felt) 12, with a running direction

10 shown by an arrow 14. On the belt 12, a first fiber ply (not illustrated) is formed by a headbox or flowbox 8 followed by a plurality of dewatering elements 7. As explained below, the first fiber ply is combined with a second fiber ply to form a two-ply fiber web.

A twin-wire part 20, shown enlarged in Fig. 2, is arranged above the belt 12 and forms the second fiber web or ply. The twin-wire part 20 has a first endless loop belt or wire 22 and a second endless loop belt or wire 24, which are guided to move parallel through a

15 twin-wire zone in order to form the second fiber ply. In the region of the beginning of the twin-wire zone, the two wires 22, 24 form an entry gap 28. A headbox 26 indicated schematically at the entry gap 28 injects a fibrous suspension for the second fiber ply into the

20 entry gap 28. Alternatively, a multi-layer headbox can also be provided. This type of arrangement causes the

25 twin-wire part 20 to be a so-called "gap former".

A forming roll 30 is provided in the region of the entry gap 28 and in the loop of the second wire 24, which is a bottom wire. A wire guide roll 32 is provided in the loop of the first wire 22, which is a top wire.

5 The forming roll 30 has an open roll cover, i.e., it is provided with cutouts, and it is preferably not an evacuated roll. Alternatively, the forming roll 30 may be evacuated. The wires 22, 24 run together over an upper section of the forming roll 30 and between the
10 roll 30 and the opposite wire guide roll 32. The wires wrap around the forming roll 30 over an angle which is preferably smaller than 90°.

 Directly adjoining the forming roll 30 is a web dewatering section 39 in the form of a so-called D part.

15 In the region of the top wire 22, the D-part includes an either evacuated or non-evacuated suction box 36 which supports a series of stationary forming foils or strips 34 which are oriented so that their free ends contact and press against the top wire. The suction box 36 is

20 combined with a suction separator. The first stationary foil 34 of the suction box 36 is arranged directly in the outlet region of the forming roll 30. The forming foils 34 of the box 36 together form a running surface that is slightly convexly curved in the running direction of the
25 wires 22, 24. On the side of the bottom wire 24,

 opposite the foils 34 of the box 36, a number of movable, preferably pneumatically loaded foils or strips or ledges

may be arranged. The movable foils or strips have free ends or edges that are oriented to press against the bottom wire 24. The stationary foils 34 and the movable foils of the forming board 38 are arranged to alternate
5 along the wire running direction.

There are water receiving containers 37 and 39, respectively, associated with the foils 34 and 38.

In the outlet region of the D part 39, the bottom wire 24 is separated from the second fiber ply by
10 a suction separator 62. The bottom wire is led back to the forming roll 30 over a plurality of guide rolls 40.

The top wire 22 with the formed second fiber ply carried on it is led directly from the outlet region of the D part to a couch roll 42. The diameter d of the
15 couch roll 42 is relatively large, e.g. as large as or only slightly smaller than the diameter D of the forming roll 30. The couch roll 42 is arranged such that the couch roll 42 dips into the belt, or such that the roll is slightly wrapped around by the belt 12.

20 The top wire 22 carrying the second fiber ply runs from the D part 39, oriented at an angle α of less than 90° , preferably in the range of 70° to 80° , and shown herein at about 75° with respect to the belt 12 and onto the couch roll 42. The first and the second fiber
25 webs are couched together between the top wire 22 and the belt 12 by means of the couch roll 42. The top wire 22 is separated from the multi-ply fiber web in the outlet

region of the couch roll 42. The multi-ply fiber web that is combined in this way to consist of the first and the second fiber plies is separated from the top wire 22 by a further suction separator 63 and thereafter runs further together with the belt 12, for example over a suction box 64 and a wire suction roll 65 (Fig. 1). The web is thereafter removed from the belt 12 in a known way, by a felt belt 66 and a pickup roll 67, and is fed to a following unit of the machine, e.g. a press section. The top wire 22 is led back to the wire guide roll 32 located opposite the forming roll 30 by wrapping over wire guide rolls 46.

Thus, for the purpose of initial dewatering, the twin-wire part 20 has a forming roll 30 followed by a so-called D part 39 for further dewatering. The twin-wire part 20 is therefore a so-called "roll-blade former".

In this embodiment, the twin-wire part 20 is arranged upstream of the couch roll 42 along the running direction 14 of the belt 12. Arrangement upstream of the couch roll 42 means that the forming or wire section from the headbox 26 and including the last forming unit (D part 39) is arranged upstream of the couch roll 42. That the wire guide rolls 46 for return travel of the empty top wire 22 are to some extent placed downstream of the couch roll 42 as viewed on the path of the belt 12, as

shown in Fig. 2, is intended to be irrelevant in the present context.

This arrangement causes the two wires 22, 24 of the twin-wire part 20 and the belt 12 to have substantially the same running direction. Therefore, the second fiber ply in the twin-wire former 20 is deflected only slightly before being couched. This enables extraordinarily high speeds of the entire wire section 9 to be achieved.

This arrangement of the forming roll 30 and the downstream D part 39 in the twin-wire part 20 produces a side of the second fiber ply that is richer in fines on the side facing away from the top wire 22, and that is the side of the second ply that is couched together with the top side of the first fiber ply.

Other arrangements of forming foils are also possible instead of the D part 39. For example, a suction box may also be provided on the bottom wire. Also, the forming roll 30 could also be evacuated.

However, it has been found that extraordinarily high speeds with an excellent quality of the multi-ply fiber web formed can be achieved as a result of the combination of a non-evacuated open forming roll 30 with a D part 39.

Fig. 3 illustrates a second embodiment 50 of a twin-wire part according to the invention. The same reference numbers are used for elements which have the

same function as corresponding elements of the twin-wire part 20.

5 The twin-wire part 50 again has an approximately horizontally aligned belt 12, on which a first, preformed fiber ply leads to the twin-wire part 50 in the direction 14.

10 The twin-wire part 50 has a top wire 22 and a bottom wire 24. The twin-wire part 50 has a forming roll 52, which is wrapped around by the top wire 22. A wire guide roll 54 is provided on the bottom wire 24 in the region of the entry gap 28 and the bottom wire 24 runs from the wire guide roll 54 onto the forming roll 52. The forming roll 52 has an arcuate suction section 56, which is arranged approximately in the region over which
15 the top wire 22 and the bottom wire 24 together wrap around the forming roll 52. A series of forming foils 58 are provided on the bottom wire 24 opposite the forming roll 52 and their free ends press on the wire 24. These foils 58 are movable. Each foil 58 is pneumatically
20 pressed, i.e., compliantly, against the bottom wire 24 with an individually adjustable force.

25 The top wire 22 and the bottom wire 24, together with the second fiber ply that is arranged between them but is not illustrated, run obliquely upward from the forming roll 52 and wrap around a deflection roll 60. From the deflection roll 60, the top wire 22, with the second fiber web ply lying upon it, runs to the

couch roll 42. In order to lift the second ply off the bottom wire 24, a suction separator 62 is arranged on the side of the top wire, just downstream of the outlet region of the deflection roll 60. The web is carried on the underside of the upper wire 22. From the suction separator 62, the top wire 22, together with the fiber ply lying upon it, runs onto the couch roll 42 at an angle 44 of about 75° in relation to the belt 12. At the belt 12, the first fiber ply on the belt 12 meets the second fiber ply on the wire 22. A catching container 41 is located underneath the bottom wire for receiving spray water. One of these containers may also be provided in the embodiment of Fig. 2.

The twin-wire part 50 differs from the twin-wire part 20 illustrated in Fig. 2, first by the arrangement of the forming elements, i.e., forming roll 52 and forming foils 58, and secondly by the deflection roll 60, which is provided between the forming roll 52 and the couch roll 42. The deflection roll 60 can either be an evacuated or a non-evacuated forming roll.

In this embodiment also, the second fiber ply is deflected only slightly before running into the couch roll 42. This is because, in contrast with the twin-wire part 20, the forming roll 52 of the twin-wire part 50 is wrapped around by the wires 22, 24 only over a relatively small angular section of about 45° , whereas the forming

roll 30 of the twin-wire part 20 is wrapped around by the wires 22, 24 over an angle of about 90° .

5 The twin-wire parts 20 and 50 have in common that their twin-wire zones are both arranged upstream of the couch roll 42 in the running direction 14 of the belt 12. As a result, the second fiber ply must be deflected only slightly, proceeding from the headbox 26 as far as the couch roll 42. This applies especially as the running direction 14 of the belt 12 and that of the wires 10 22, 24 in their forming region, i.e., their twin-wire zones, are substantially identical. In other words, the outflow directions of the two headboxes 8 and 26 in Fig. 1 are at least approximately identical. This means, coupled with the compact construction of the twin-wire 15 part, enables the distance A between the couch roll 42 and the wire suction roll 65 to be made smaller than previously. This means that a small overall length of the wire part 9 can be achieved.

20 The slight deflection of the second fiber ply in the twin-wire parts 20 and 50 enables very high operating speeds to be achieved with the wire sections 9 according to the invention, without a risk of the web lifting off. At the same high speed, the lower deflection allows higher moisture contents directly 25 upstream of the couching stage, which achieves an improved ply bond strength. Since both twin-wire parts 20, 50 are upstream of the couch roll 42 in the running

direction 14 of the belt 12, the jointly couched multi-
ply fiber layer following the couch roll 42 is not
influenced by the operation of the twin-wire part 20, 50.
In particular, condensate droplets do not drop from the
5 twin-wire part 20, 50 onto the finished multi-ply fiber
layer. In any case, such droplets would impinge on the
preformed first fiber ply. But, this would not
significantly impair the web formation.

The twin-wire parts 20, 50 are preferably used
10 for forming a white liner on the first fiber ply or for
increasing the basis weight.

Although the present invention has been
described in relation to particular embodiments thereof,
many other variations and modifications and other uses
15 will become apparent to those skilled in the art. It is
preferred, therefore, that the present invention be
limited not by the specific disclosure herein, but only
by the appended claims.

WHAT IS CLAIMED IS:

1. A wire section for forming a multi-ply fiber web, the wire section comprising:

5 a belt on which a first fiber ply is formed;

a twin-wire part including a first wire section wire and a second wire section wire defining a gap former;

10 a forming roll at which the first and second wires define a gap for receiving fiber suspension at the beginning of the gap former; the first and second wires wrapping over and then advancing past the forming roll;

15 first guide elements for causing the first and second wires to run together for supporting a layer of fiber suspension between the first and second wires and forming a second fiber ply;

20 a combining section for combining the first and second plies wherein the second ply is above the first ply and for forming the multi-ply fiber web in the combining section;

the twin-wire part being upstream of the combining section with respect to the running direction of the first belt;

25 after the first and second wires run together to form the second fiber ply, the first and

second wires being supported to separate so that the second fiber ply continues supported on the first wire and the first wire with the second ply entering the combining section; second guide elements supporting the first wire as it enters the combining section to orient the first wire at an angle less than 90° with respect to the first belt entering the combining section; and third guide elements for guiding the second wire so as to not enter the combining section.

2. The wire section of claim 1, wherein the belt is guided to advance in a first direction; the first and second wires are guided by the first guide elements to advance in a second direction and the first and second directions aim toward the combining section.

3. The wire section of claim 2, wherein the gap former has a beginning oriented so that the inflow direction of the fiber suspension for forming the second fiber ply is substantially identical to the running direction of the belt.

4. The wire section of claim 2, wherein the angle at which the first wire enters the combining section with respect to the belt is in the range of 60° to 80° .

5 5. In combination, the wire section of claim 4, with a headbox having an outlet oriented for supplying suspension to the beginning of the gap former and between the first and second wires in an inflow direction which is substantially equal to the running direction of the belt.

 6. The wire section of claim 2, wherein the combining section comprises a couch roll.

 7. The wire section of claim 6, wherein the couch roll has a diameter approximately equal to the diameter of the forming roll.

 8. The wire section of claim 2, wherein the first wire is an endless first loop and the first guide elements guide the first wire in the first loop;

5 a suction separator in the loop of the first wire along the path where the first and second wires are moving in the second direction, the suction separator for separating the second wire from the second fiber ply and from the first wire, whereby the second fiber ply continues to travel on the separated first wire.

 9. The wire section of claim 2, wherein the first wire is an endless first loop and the first guide

elements guide the first wire in the first loop; the forming roll being in the first loop of the first wire.

10. The wire section of claim 2, wherein the combining section comprises a couch roll;

the first loop of the first wire is so guided that the couch roll is located in the first loop.

11. The wire section of claim 10, wherein the first wire is a top wire and the second wire is a bottom wire.

12. The wire section of claim 11, wherein the second wire is an endless second loop and the first guide elements guiding the second wire in the second loop;

the second wire being so shaped and guided
5 by the guide elements that the forming roll is located in the second loop.

13. The wire section of claim 12, wherein the path in the second direction between the forming roll and the couch roll is free of any further rolls touching the first wire.

14. The wire section of claim 12, further comprising a dewatering arrangement in the first loop between the forming roll and the couch roll.

15. The wire section of claim 14, wherein the dewatering arrangement comprises stationary forming foils having edges which contact the first wire for pressing thereupon.

16. The wire section of claim 15, wherein the forming foils are so positioned that their ends contacting the first wire define a convexly curved running surface shaped so that the second wire is deflected through an angle in the range of 0° and 20° .

17. The wire section of claim 15, further comprising a suction box associated with the forming foils for assisting in the dewatering of the suspension passing on the wires past the foils.

18. The wire section of claim 15, further comprising second forming foils in the second loop of the second wire and having edges supported for compliant pressing against the second wire and opposed to the stationary foils against the first wire.

19. The wire section of claim 18, wherein the stationary foils against the first wire and the second foils against the second wire are arranged to alternate in the second direction.

20. The wire section of claim 12, further comprising a deflection roll along the path of the first and second wires between the forming roll and the couch roll and the first and second wires jointly wrapping around the deflection roll.

21. The wire section of claim 20, further comprising a plurality of foils arrayed along the path of the wires passing the forming roll, the foils having edges which are supported to be compliantly pressed toward the forming roll and against the wires passing the forming roll.

22. The wire section of claim 2, further comprising a suction box at the first wire for aiding in the dewatering of the first wire.

23. The wire section of claim 22, further comprising forming foils positioned at the suction box at the side of the first wire for applying pressure on the first wire.

24. The wire section of claim 23, further comprising further forming foils at the second wire for applying pressure on the second wire.

25. The wire section of claim 24, further comprising a dewatering arrangement disposed on the path of the first wire and the second fiber ply before the combining section.

26. A process for forming a multi-ply fiber web comprising:

5 moving a belt in a first direction toward a combining section, and forming a first fiber ply on the moving first belt;

forming a second fiber ply on a first wire section wire; advancing the first fiber section wire with the second ply thereon in a second direction toward the combining section;

10 combining the first fiber ply on the first belt on and with the second fiber ply on the first wire belt in the combining section;

15 the second fiber ply being formed in a region which, along the first direction of the first belt, lies upstream of the combining section, and running the second fiber ply of the first wire in the second direction into the combining section at an angle of less than 90° with respect to the first belt.

27. The process of claim 26, further comprising forming the second fiber ply in a twin-wire part between the first and a second wire which define a

gap former, moving the first and second wires together in
5 the second direction toward the combining section;

separating the first and second wires
before the combining section; and

retaining the second fiber ply on the
first wire before the first wire with the second ply
enters the combining section.

28. The process of claim 27, further
comprising directing entering suspension into the
beginning of the gap former generally in the first
direction of the belt.

WIRE PART AND PROCESS FOR FORMINGA MULTI-PLY FIBER WEBABSTRACT OF THE DISCLOSURE

A wire section for forming a multi-ply fiber web. The wire section includes a first belt which advances a first fiber ply toward a couch roll defining a combining section. A twin-wire zone of the wire section includes first and second wires between which a second fiber ply is initially formed in a gap former. The second wire separates from the first wire and then the first wire supporting the second fiber ply meets the first belt supporting the first fiber ply at the couch roll of the combining section to form the multi-ply fiber web. The twin-wire part is arranged upstream of the combining section along the running direction of the first belt. The second fiber ply runs on the first wire into the combining section at an angle less than 90° with respect to the belt entering the combining section. The path of the wires from the forming roll to the combining section is disclosed. A suction box or arrangement holds the second fiber ply to the first wire when the first and second wires separate. Dewatering foils press on the wires moving through the twin-wire zone.






Fig. 1





#3
PA 7044945

UNITED STATES OF AMERICA
COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

OFGS FILE NO.
P/563-118

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

WIRE PART AND PROCESS FOR FORMING A MULTI-PLY FIBER WEB

the specification of which is attached hereto, unless the following box is checked:

☐ was filed on _____ as United States patent Application Number or PCT International patent application number _____ and was amended on _____ (if any).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate or United States provisional application(s) listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign or Provisional Application(s)

COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119
GERMANY	196 51 493.2	11 DECEMBER 1996	YES <u>XX</u> NO _____
			YES _____ NO _____

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)

I hereby appoint customer no. 2352 OSTROLENK, FABER, GERB & SOFFEN, LLP, and the members of the firm, Samuel H. Weiner - Reg. No. 18,510; Jerome M. Berliner - Reg. No. 18,653; Robert C. Faber - Reg. No. 24,322; Edward A. Meilman - Reg. No. 24,735; Stanley H. Lieberstein - Reg. No. 22,400; Steven I. Weisburd - Reg. No. 27,409; Max Moskowitz - Reg. No. 30,576; Stephen A. Soffen - Reg. No. 31,063; James A. Finder - Reg. No. 30,173; William O. Gray, III - Reg. No. 30,944; Louis C. Dujmich - Reg. No. 30,625 and Douglas A. Miro - Reg. No. 31,643, as attorneys with full power of substitution and revocation to prosecute this application, to transact all business in the Patent & Trademark Office connected therewith and to receive all correspondence.

SEND CORRESPONDENCE TO:

OSTROLENK, FABER, GERB & SOFFEN, LLP
1180 AVENUE OF THE AMERICAS
NEW YORK, NEW YORK 10036-8403
CUSTOMER NO. 2352

DIRECT TELEPHONE CALLS TO:
(212) 382-0700

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE OR FIRST INVENTOR Dieter EGELHOF	INVENTOR'S SIGNATURE <i>[Signature]</i>	DATE X FEB. 09. 1997
RESIDENCE (City and either State or Foreign Country) Heidenheim, Germany		COUNTRY OF CITIZENSHIP German
POST OFFICE ADDRESS Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany		
FULL NAME OF SECOND JOINT INVENTOR (IF ANY) Alfred BUBIK	INVENTOR'S SIGNATURE	DATE
RESIDENCE (City and either State or Foreign Country) Ravensburg, Germany		COUNTRY OF CITIZENSHIP German
POST OFFICE ADDRESS Berliner Str. 13 D-88212 Ravensburg, Germany		
FULL NAME OF THIRD JOINT INVENTOR (IF ANY) Peter MIRSBERGER	INVENTOR'S SIGNATURE	DATE
RESIDENCE (City and either State or Foreign Country) Baienfurt, Germany		COUNTRY OF CITIZENSHIP German
POST OFFICE ADDRESS Panoramstr. 69 D-88255 Baienfurt, Germany		

X CONTINUED ON PAGE 2


LTR2/225692

Year	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

Page 2

LTR2\225692

UNITED STATES OF AMERICA		OFGS FILE NO.	
COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION		P/563-118	
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES ____ NO ____
			YES ____ NO ____
			YES ____ NO ____
			YES ____ NO ____
			YES ____ NO ____
			YES ____ NO ____
			YES ____ NO ____
			YES ____ NO ____
			YES ____ NO ____
			YES ____ NO ____
<p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p>			
FULL NAME OF EIGHTH JOINT INVENTOR, IF ANY Gunter HALMSCHLAGER		INVENTOR'S SIGNATURE	DATE
RESIDENCE (City and either State or Foreign Country) Rohrendorf, Austria		COUNTRY OF CITIZENSHIP AUSTRIA	
POST OFFICE ADDRESS Ober Hauptstr. 66 A-3495 Rohrendorf, Austria			
FULL NAME OF NINTH JOINT INVENTOR, IF ANY Frank STELZHAMMER		INVENTOR'S SIGNATURE	DATE
RESIDENCE (City and either State or Foreign Country) Böheimkirchen		COUNTRY OF CITIZENSHIP AUSTRIA	
POST OFFICE ADDRESS Grub 11 A-3071 Böheimkirchen, Austria			
FULL NAME OF TENTH JOINT INVENTOR, IF ANY Günther MOHRHARDT		INVENTOR'S SIGNATURE	DATE
RESIDENCE (City and either State or Foreign Country) Sao Paulo, Brazil		COUNTRY OF CITIZENSHIP GERMAN	
POST OFFICE ADDRESS Edificio Caiapo, Apto. 1408 Avenida Dr. Silva Melo, 132 Jardim Marajoara BR-04671000 Sao Paulo, Brazil			
FULL NAME OF ELEVENTH JOINT INVENTOR, IF ANY		INVENTOR'S SIGNATURE	DATE
RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP	
POST OFFICE ADDRESS			



#3
PA 7044945

UNITED STATES OF AMERICA COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION			OFPGS FILE NO. P/563-118																																																			
<p>As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named) of the subject matter which is claimed and for which a patent is sought on the invention entitled:</p> <p>WIRE PART AND PROCESS FOR FORMING A MULTI-PLY FIBER WEB</p> <p>the specification of which is attached hereto, unless the following box is checked:</p> <p><input type="checkbox"/> was filed on _____ as United States patent Application Number or PCT International patent application number _____ and was amended on _____ (if any).</p> <p>I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.</p> <p>I acknowledge the duty to disclose all information known to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.</p> <p>I hereby claim priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate or United States provisional application(s) listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:</p> <p>Prior Foreign or Provisional Application(s)</p> <table border="1"><thead><tr><th>COUNTRY</th><th>APPLICATION NUMBER</th><th>DATE OF FILING (day, month, year)</th><th>PRIORITY CLAIMED UNDER 35 U.S.C. 119</th></tr></thead><tbody><tr><td>GERMANY</td><td>196 51 493.2</td><td>11 DECEMBER 1996</td><td>YES <u>XX</u> NO _____</td></tr><tr><td></td><td></td><td></td><td>YES _____ NO _____</td></tr></tbody></table> <p>I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.</p> <table border="1"><thead><tr><th>UNITED STATES APPLICATION NUMBER</th><th>DATE OF FILING (day, month, year)</th><th>STATUS (patented, pending, abandoned)</th></tr></thead><tbody><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table> <p>I hereby appoint customer no. 2352 OSTROLENK, FABER, GERB & SOFFEN, LLP, and the members of the firm, Samuel H. Weiner - Reg. No. 18,510; Jerome M. Berliner - Reg. No. 18,653; Robert C. Faber - Reg. No. 24,322; Edward A. Meilman - Reg. No. 24,735; Stanley H. Lieberstein - Reg. No. 22,400; Steven I. Weisburd - Reg. No. 27,409; Max Moskowitz - Reg. No. 30,576; Stephen A. Soffen - Reg. No. 31,063; James A. Finder - Reg. No. 30,173; William O. Gray, III - Reg. No. 30,944; Louis C. Dujmich - Reg. No. 30,625 and Douglas A. Miro - Reg. No. 31,643, as attorneys with full power of substitution and revocation to prosecute this application, to transact all business in the Patent & Trademark Office connected therewith and to receive all correspondence.</p> <p>SEND CORRESPONDENCE TO: OSTROLENK, FABER, GERB & SOFFEN, LLP 1180 AVENUE OF THE AMERICAS NEW YORK, NEW YORK 10036-8403 CUSTOMER NO. 2352</p> <p>DIRECT TELEPHONE CALLS TO: (212) 382-0700</p> <p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p> <table border="1"><thead><tr><th>FULL NAME OF SOLE OR FIRST INVENTOR</th><th>INVENTOR'S SIGNATURE</th><th>DATE</th></tr></thead><tbody><tr><td>Dieter EGELHOF</td><td></td><td></td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country) Heidenheim, Germany</td><td>COUNTRY OF CITIZENSHIP German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany</td></tr><tr><td>FULL NAME OF SECOND JOINT INVENTOR (IF ANY) Alfred BUBIK</td><td>INVENTOR'S SIGNATURE <i>Alfred BUBIK</i></td><td>DATE 98/12/14</td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country) Ravensburg, Germany</td><td>COUNTRY OF CITIZENSHIP German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS Berliner Str. 13 D-88212 Ravensburg, Germany</td></tr><tr><td>FULL NAME OF THIRD JOINT INVENTOR (IF ANY) Peter MIRSBERGER</td><td>INVENTOR'S SIGNATURE <i>Peter MIRSBERGER</i></td><td>DATE 98/12/14</td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country) Baienfurt, Germany</td><td>COUNTRY OF CITIZENSHIP German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS Panoramstr. 69 D-88255 Baienfurt, Germany</td></tr></tbody></table>				COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119	GERMANY	196 51 493.2	11 DECEMBER 1996	YES <u>XX</u> NO _____				YES _____ NO _____	UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)							FULL NAME OF SOLE OR FIRST INVENTOR	INVENTOR'S SIGNATURE	DATE	Dieter EGELHOF			RESIDENCE (City and either State or Foreign Country) Heidenheim, Germany		COUNTRY OF CITIZENSHIP German	POST OFFICE ADDRESS Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany			FULL NAME OF SECOND JOINT INVENTOR (IF ANY) Alfred BUBIK	INVENTOR'S SIGNATURE <i>Alfred BUBIK</i>	DATE 98/12/14	RESIDENCE (City and either State or Foreign Country) Ravensburg, Germany		COUNTRY OF CITIZENSHIP German	POST OFFICE ADDRESS Berliner Str. 13 D-88212 Ravensburg, Germany			FULL NAME OF THIRD JOINT INVENTOR (IF ANY) Peter MIRSBERGER	INVENTOR'S SIGNATURE <i>Peter MIRSBERGER</i>	DATE 98/12/14	RESIDENCE (City and either State or Foreign Country) Baienfurt, Germany		COUNTRY OF CITIZENSHIP German	POST OFFICE ADDRESS Panoramstr. 69 D-88255 Baienfurt, Germany		
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119																																																			
GERMANY	196 51 493.2	11 DECEMBER 1996	YES <u>XX</u> NO _____																																																			
			YES _____ NO _____																																																			
UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)																																																				
FULL NAME OF SOLE OR FIRST INVENTOR	INVENTOR'S SIGNATURE	DATE																																																				
Dieter EGELHOF																																																						
RESIDENCE (City and either State or Foreign Country) Heidenheim, Germany		COUNTRY OF CITIZENSHIP German																																																				
POST OFFICE ADDRESS Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany																																																						
FULL NAME OF SECOND JOINT INVENTOR (IF ANY) Alfred BUBIK	INVENTOR'S SIGNATURE <i>Alfred BUBIK</i>	DATE 98/12/14																																																				
RESIDENCE (City and either State or Foreign Country) Ravensburg, Germany		COUNTRY OF CITIZENSHIP German																																																				
POST OFFICE ADDRESS Berliner Str. 13 D-88212 Ravensburg, Germany																																																						
FULL NAME OF THIRD JOINT INVENTOR (IF ANY) Peter MIRSBERGER	INVENTOR'S SIGNATURE <i>Peter MIRSBERGER</i>	DATE 98/12/14																																																				
RESIDENCE (City and either State or Foreign Country) Baienfurt, Germany		COUNTRY OF CITIZENSHIP German																																																				
POST OFFICE ADDRESS Panoramstr. 69 D-88255 Baienfurt, Germany																																																						


X CONTINUED ON PAGE 2

LTR2V25692

[illegible]Page 2

LTR2\225692

UNITED STATES OF AMERICA COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION		OFGS FILE NO. P/563-118	
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
<p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p>			
FULL NAME OF EIGHTH JOINT INVENTOR, IF ANY Günter HALMSCHLAGER	INVENTOR'S SIGNATURE		DATE
RESIDENCE (City and either State or Foreign Country) Rohrendorf, Austria		COUNTRY OF CITIZENSHIP AUSTRIA	
POST OFFICE ADDRESS Ober Hauptstr. 66 A-3495 Rohrendorf, Austria			
FULL NAME OF NINTH JOINT INVENTOR, IF ANY Frank STELZHAMMER	INVENTOR'S SIGNATURE		DATE
RESIDENCE (City and either State or Foreign Country) Böheimkirchen		COUNTRY OF CITIZENSHIP AUSTRIA	
POST OFFICE ADDRESS Grub 11 A-3071 Böheimkirchen, Austria			
FULL NAME OF TENTH JOINT INVENTOR, IF ANY Günther MOHRHARDT	INVENTOR'S SIGNATURE		DATE
RESIDENCE (City and either State or Foreign Country) Sao Paulo, Brazil		COUNTRY OF CITIZENSHIP GERMAN	
POST OFFICE ADDRESS Edificio Caiapo, Apto. 1408 Avenida Dr. Silva Melo, 132 Jardim Marajoara BR-04671000 Sao Paulo, Brazil			
FULL NAME OF ELEVENTH JOINT INVENTOR, IF ANY	INVENTOR'S SIGNATURE		DATE
RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP	
POST OFFICE ADDRESS			



ENT & TRADEMARK OFFICE

OFGS FILE NO.
P/563-118

WIRE PART AND PROCESS FOR FORMING A MULTI-PLY FIBER WEB

☐ was filed on _____ as United States patent Application Number or PCT International patent application number _____ and was amended on _____ (if any).

I hereby claim priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate or United States provisional application(s) listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119
GERMANY	196 51 493.2	11 DECEMBER 1996	YES <u>XX</u> NO <u> </u>
			YES <u> </u> NO <u> </u>

UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)

SEND CORRESPONDENCE TO: OSTROLENK, FABER, GERB & SOFFEN, LLP DIRECT TELEPHONE CALLS TO:
1180 AVENUE OF THE AMERICAS (212) 382-0700
NEW YORK, NEW YORK 10036-8403
CUSTOMER NO. 2352


FULL NAME OF SOLE OR FIRST INVENTOR Dieter EGELHOF		INVENTOR'S SIGNATURE		DATE	
RESIDENCE (City and either State or Foreign Country) Heidenheim, Germany				COUNTRY OF CITIZENSHIP German	
POST OFFICE ADDRESS Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany					
FULL NAME OF SECOND JOINT INVENTOR (IF ANY) Alfred BUBIK		INVENTOR'S SIGNATURE		DATE	
RESIDENCE (City and either State or Foreign Country) Ravensburg, Germany				COUNTRY OF CITIZENSHIP German	
POST OFFICE ADDRESS Berliner Str. 13 D-88212 Ravensburg, Germany					
FULL NAME OF THIRD JOINT INVENTOR (IF ANY) Peter MIRSBERGER		INVENTOR'S SIGNATURE		DATE	
RESIDENCE (City and either State or Foreign Country) Baienfurt, Germany				COUNTRY OF CITIZENSHIP German	
POST OFFICE ADDRESS Panoramstr. 69 D-88255 Baienfurt, Germany					

LTR2\225692

[illegible]Page 2

LTR2\225692

[illegible]Page 3



#3
PA 7044945



UNITED STATES OF AMERICA COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION			OFCS FILE NO. P/563-118																																																									
<p>As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named) of the subject matter which is claimed and for which a patent is sought on the invention entitled:</p> <p>WIRE PART AND PROCESS FOR FORMING A MULTI-PLY FIBER WEB</p> <p>the specification of which is attached hereto, unless the following box is checked:</p> <p><input type="checkbox"/> was filed on _____ as United States patent Application Number or PCT International patent application number _____ and was amended on _____ (if any).</p> <p>I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.</p> <p>I acknowledge the duty to disclose all information known to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.</p> <p>I hereby claim priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate or United States provisional application(s) listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:</p> <p>Prior Foreign or Provisional Application(s)</p> <table border="1"><thead><tr><th>COUNTRY</th><th>APPLICATION NUMBER</th><th>DATE OF FILING (day, month, year)</th><th>PRIORITY CLAIMED UNDER 35 U.S.C. 119</th></tr></thead><tbody><tr><td>GERMANY</td><td>196 51 493.2</td><td>11 DECEMBER 1996</td><td>YES <u>XX</u> NO _____</td></tr><tr><td></td><td></td><td></td><td>YES _____ NO _____</td></tr></tbody></table> <p>I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.</p> <table border="1"><thead><tr><th>UNITED STATES APPLICATION NUMBER</th><th>DATE OF FILING (day, month, year)</th><th>STATUS (patented, pending, abandoned)</th></tr></thead><tbody><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table> <p>I hereby appoint customer no. 2352 OSTROLENK, FABER, GERB & SOFFEN, LLP, and the members of the firm, Samuel H. Weiner - Reg. No. 18,510; Jerome M. Berliner - Reg. No. 18,653; Robert C. Faber - Reg. No. 24,322; Edward A. Meilman - Reg. No. 24,735; Stanley H. Lieberstein - Reg. No. 22,400; Steven I. Weisburd - Reg. No. 27,409; Max Moskowitz - Reg. No. 30,576; Stephen A. Soffen - Reg. No. 31,063; James A. Finder - Reg. No. 30,173; William O. Gray, III - Reg. No. 30,944; Louis C. Dujmich - Reg. No. 30,625 and Douglas A. Miro - Reg. No. 31,643, as attorneys with full power of substitution and revocation to prosecute this application, to transact all business in the Patent & Trademark Office connected therewith and to receive all correspondence.</p> <p>SEND CORRESPONDENCE TO: OSTROLENK, FABER, GERB & SOFFEN, LLP 1180 AVENUE OF THE AMERICAS NEW YORK, NEW YORK 10036-8403 CUSTOMER NO. 2352</p> <p>DIRECT TELEPHONE CALLS TO: (212) 382-0700</p> <p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p> <table border="1"><thead><tr><th>FULL NAME OF SOLE OR FIRST INVENTOR</th><th>INVENTOR'S SIGNATURE</th><th>DATE</th></tr></thead><tbody><tr><td>Dieter EGELHOF</td><td></td><td></td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country) Heidenheim, Germany</td><td>COUNTRY OF CITIZENSHIP German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany</td></tr><tr><td>FULL NAME OF SECOND JOINT INVENTOR (IF ANY)</td><td>INVENTOR'S SIGNATURE</td><td>DATE</td></tr><tr><td>Alfred BUBIK</td><td></td><td></td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country) Ravensburg, Germany</td><td>COUNTRY OF CITIZENSHIP German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS Berliner Str. 13 D-88212 Ravensburg, Germany</td></tr><tr><td>FULL NAME OF THIRD JOINT INVENTOR (IF ANY)</td><td>INVENTOR'S SIGNATURE</td><td>DATE</td></tr><tr><td>Peter MIRSBERGER</td><td></td><td></td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country) Baienfurt, Germany</td><td>COUNTRY OF CITIZENSHIP German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS Panoramstr. 69 D-88255 Baienfurt, Germany</td></tr></tbody></table>				COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119	GERMANY	196 51 493.2	11 DECEMBER 1996	YES <u>XX</u> NO _____				YES _____ NO _____	UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)							FULL NAME OF SOLE OR FIRST INVENTOR	INVENTOR'S SIGNATURE	DATE	Dieter EGELHOF			RESIDENCE (City and either State or Foreign Country) Heidenheim, Germany		COUNTRY OF CITIZENSHIP German	POST OFFICE ADDRESS Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany			FULL NAME OF SECOND JOINT INVENTOR (IF ANY)	INVENTOR'S SIGNATURE	DATE	Alfred BUBIK			RESIDENCE (City and either State or Foreign Country) Ravensburg, Germany		COUNTRY OF CITIZENSHIP German	POST OFFICE ADDRESS Berliner Str. 13 D-88212 Ravensburg, Germany			FULL NAME OF THIRD JOINT INVENTOR (IF ANY)	INVENTOR'S SIGNATURE	DATE	Peter MIRSBERGER			RESIDENCE (City and either State or Foreign Country) Baienfurt, Germany		COUNTRY OF CITIZENSHIP German	POST OFFICE ADDRESS Panoramstr. 69 D-88255 Baienfurt, Germany		
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119																																																									
GERMANY	196 51 493.2	11 DECEMBER 1996	YES <u>XX</u> NO _____																																																									
			YES _____ NO _____																																																									
UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)																																																										
FULL NAME OF SOLE OR FIRST INVENTOR	INVENTOR'S SIGNATURE	DATE																																																										
Dieter EGELHOF																																																												
RESIDENCE (City and either State or Foreign Country) Heidenheim, Germany		COUNTRY OF CITIZENSHIP German																																																										
POST OFFICE ADDRESS Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany																																																												
FULL NAME OF SECOND JOINT INVENTOR (IF ANY)	INVENTOR'S SIGNATURE	DATE																																																										
Alfred BUBIK																																																												
RESIDENCE (City and either State or Foreign Country) Ravensburg, Germany		COUNTRY OF CITIZENSHIP German																																																										
POST OFFICE ADDRESS Berliner Str. 13 D-88212 Ravensburg, Germany																																																												
FULL NAME OF THIRD JOINT INVENTOR (IF ANY)	INVENTOR'S SIGNATURE	DATE																																																										
Peter MIRSBERGER																																																												
RESIDENCE (City and either State or Foreign Country) Baienfurt, Germany		COUNTRY OF CITIZENSHIP German																																																										
POST OFFICE ADDRESS Panoramstr. 69 D-88255 Baienfurt, Germany																																																												

X CONTINUED ON PAGE 2

LTR2/225692

[illegible]Page 2

LTR2\225692

UNITED STATES OF AMERICA COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION		OFGS FILE NO. P/563-118	
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
			YES ___ NO ___
<p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p>			
FULL NAME OF EIGHTH JOINT INVENTOR, IF ANY Günter HALMSCHLAGER		INVENTOR'S SIGNATURE 	DATE X 13.02.98
RESIDENCE (City and either State or Foreign Country) Rohrendorf, Austria		COUNTRY OF CITIZENSHIP AUSTRIA	
POST OFFICE ADDRESS Ober Hauptstr. 66 A-3495 Rohrendorf, Austria			
FULL NAME OF NINTH JOINT INVENTOR, IF ANY Frank STELZHAMMER		INVENTOR'S SIGNATURE 	DATE X 9-02-98
RESIDENCE (City and either State or Foreign Country) Böheimkirchen		COUNTRY OF CITIZENSHIP AUSTRIA	
POST OFFICE ADDRESS Grub 11 A-3071 Böheimkirchen, Austria			
FULL NAME OF TENTH JOINT INVENTOR, IF ANY Günther MOHRHARDT		INVENTOR'S SIGNATURE	DATE
RESIDENCE (City and either State or Foreign Country) Sao Paulo, Brazil		COUNTRY OF CITIZENSHIP GERMAN	
POST OFFICE ADDRESS Edificio Caiapo, Apto. 1408 Avenida Dr. Silva Melo, 132 Jardim Marajoara BR-04671000 Sao Paulo, Brazil			
FULL NAME OF ELEVENTH JOINT INVENTOR, IF ANY		INVENTOR'S SIGNATURE	DATE
RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP	
POST OFFICE ADDRESS			



#3

PA 7044945

UNITED STATES OF AMERICA COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION		OFGS FILE NO. P/563-118																																																																												
<p>As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named) of the subject matter which is claimed and for which a patent is sought on the invention entitled:</p> <p>WIRE PART AND PROCESS FOR FORMING A MULTI-PLY FIBER WEB</p> <p>the specification of which is attached hereto, unless the following box is checked:</p> <p><input type="checkbox"/> was filed on _____ as United States patent Application Number or PCT International patent application number _____ and was amended on _____ (if any).</p> <p>I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.</p> <p>I acknowledge the duty to disclose all information known to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.</p> <p>I hereby claim priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate or United States provisional application(s) listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:</p> <p>Prior Foreign or Provisional Application(s)</p> <table border="1"><thead><tr><th>COUNTRY</th><th>APPLICATION NUMBER</th><th>DATE OF FILING (day, month, year)</th><th>PRIORITY CLAIMED UNDER 35 U.S.C. 119</th></tr></thead><tbody><tr><td>GERMANY</td><td>196 51 493.2</td><td>11 DECEMBER 1996</td><td>YES <u>XX</u> NO _____</td></tr><tr><td></td><td></td><td></td><td>YES _____ NO _____</td></tr></tbody></table> <p>I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.</p> <table border="1"><thead><tr><th>UNITED STATES APPLICATION NUMBER</th><th>DATE OF FILING (day, month, year)</th><th>STATUS (patented, pending, abandoned)</th></tr></thead><tbody><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table> <p>I hereby appoint customer no. 2352 OSTROLENK, FABER, GERB & SOFFEN, LLP, and the members of the firm, Samuel H. Weiner - Reg. No. 18,510; Jerome M. Berliner - Reg. No. 18,653; Robert C. Faber - Reg. No. 24,322; Edward A. Meilman - Reg. No. 24,735; Stanley H. Lieberstein - Reg. No. 22,400; Steven I. Weisburd - Reg. No. 27,409; Max Moskowitz - Reg. No. 30,576; Stephen A. Soffen - Reg. No. 31,063; James A. Finder - Reg. No. 30,173; William O. Gray, III - Reg. No. 30,944; Louis C. Dujmich - Reg. No. 30,625 and Douglas A. Miro - Reg. No. 31,643, as attorneys with full power of substitution and revocation to prosecute this application, to transact all business in the Patent & Trademark Office connected therewith and to receive all correspondence.</p> <p>SEND CORRESPONDENCE TO: OSTROLENK, FABER, GERB & SOFFEN, LLP 1180 AVENUE OF THE AMERICAS NEW YORK, NEW YORK 10036-8403 CUSTOMER NO. 2352</p> <p>DIRECT TELEPHONE CALLS TO: (212) 382-0700</p> <p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p> <table border="1"><thead><tr><th>FULL NAME OF SOLE OR FIRST INVENTOR</th><th>INVENTOR'S SIGNATURE</th><th>DATE</th></tr></thead><tbody><tr><td>Dieter EGELHOF</td><td></td><td></td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country)</td><td>COUNTRY OF CITIZENSHIP</td></tr><tr><td colspan="2">Heidenheim, Germany</td><td>German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS</td></tr><tr><td colspan="3">Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany</td></tr><tr><td>FULL NAME OF SECOND JOINT INVENTOR (IF ANY)</td><td>INVENTOR'S SIGNATURE</td><td>DATE</td></tr><tr><td>Alfred BUBIK</td><td></td><td></td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country)</td><td>COUNTRY OF CITIZENSHIP</td></tr><tr><td colspan="2">Ravensburg, Germany</td><td>German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS</td></tr><tr><td colspan="3">Berliner Str. 13 D-88212 Ravensburg, Germany</td></tr><tr><td>FULL NAME OF THIRD JOINT INVENTOR (IF ANY)</td><td>INVENTOR'S SIGNATURE</td><td>DATE</td></tr><tr><td>Peter MIRSBERGER</td><td></td><td></td></tr><tr><td colspan="2">RESIDENCE (City and either State or Foreign Country)</td><td>COUNTRY OF CITIZENSHIP</td></tr><tr><td colspan="2">Baienfurt, Germany</td><td>German</td></tr><tr><td colspan="3">POST OFFICE ADDRESS</td></tr><tr><td colspan="3">Panoramstr. 69 D-88255 Baienfurt, Germany</td></tr></tbody></table>				COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119	GERMANY	196 51 493.2	11 DECEMBER 1996	YES <u>XX</u> NO _____				YES _____ NO _____	UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)							FULL NAME OF SOLE OR FIRST INVENTOR	INVENTOR'S SIGNATURE	DATE	Dieter EGELHOF			RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP	Heidenheim, Germany		German	POST OFFICE ADDRESS			Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany			FULL NAME OF SECOND JOINT INVENTOR (IF ANY)	INVENTOR'S SIGNATURE	DATE	Alfred BUBIK			RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP	Ravensburg, Germany		German	POST OFFICE ADDRESS			Berliner Str. 13 D-88212 Ravensburg, Germany			FULL NAME OF THIRD JOINT INVENTOR (IF ANY)	INVENTOR'S SIGNATURE	DATE	Peter MIRSBERGER			RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP	Baienfurt, Germany		German	POST OFFICE ADDRESS			Panoramstr. 69 D-88255 Baienfurt, Germany		
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119																																																																											
GERMANY	196 51 493.2	11 DECEMBER 1996	YES <u>XX</u> NO _____																																																																											
			YES _____ NO _____																																																																											
UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)																																																																												
FULL NAME OF SOLE OR FIRST INVENTOR	INVENTOR'S SIGNATURE	DATE																																																																												
Dieter EGELHOF																																																																														
RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP																																																																												
Heidenheim, Germany		German																																																																												
POST OFFICE ADDRESS																																																																														
Lucas-Cranach-Str. 15 D-89520 Heidenheim, Germany																																																																														
FULL NAME OF SECOND JOINT INVENTOR (IF ANY)	INVENTOR'S SIGNATURE	DATE																																																																												
Alfred BUBIK																																																																														
RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP																																																																												
Ravensburg, Germany		German																																																																												
POST OFFICE ADDRESS																																																																														
Berliner Str. 13 D-88212 Ravensburg, Germany																																																																														
FULL NAME OF THIRD JOINT INVENTOR (IF ANY)	INVENTOR'S SIGNATURE	DATE																																																																												
Peter MIRSBERGER																																																																														
RESIDENCE (City and either State or Foreign Country)		COUNTRY OF CITIZENSHIP																																																																												
Baienfurt, Germany		German																																																																												
POST OFFICE ADDRESS																																																																														
Panoramstr. 69 D-88255 Baienfurt, Germany																																																																														

X CONTINUED ON PAGE 2

LTR2/225692

[illegible]Page 2

LTR2\225692